



Galpa Export FULL GAUGE CONTROLS































<p>GGB-01S</p>  <p>CABINET ENCLOSURE FULL GAUGE GB-01S</p>	<p>GMT516C</p>  <p>CONTROL FULL GAUGE TEMPERATURE TIMER MT-516C 110/220V</p>	<p>GCONV32</p>  <p>CONVERTER (RS-485, USB) 1 USB CABLE FULL GAUGE CONV32</p>	<p>GTCP485WF</p>  <p>CONVERTER (RS-485) POWER TRANSFORMER-CABLE FULL GAUGE TCP-485Wfi</p>	<p>GTCP485WFLOG</p> <p>CONVERTER (RS-485) POWER TRANSFORMER-CABLE FULL GAUGE TCP-485Wfi LOG</p>
<p>GTCP485</p>  <p>CONVERTER (RS-485, ETHERNET RJ-45) 1 CABLE, POWER TRANSFORMER-CABLE FULL GAUGE TCP-485</p>	<p>GMULTIFG</p>  <p>ELECTRONIC CONTROL 110/220V FULL GAUGE MULTI-FG</p>	<p>GVX950PLUS</p>  <p>ELECTRONIC CONTROL 2 SENSOR, 1 PRESSURE TRANSDUCER, 1 INTERFACE 12V FULL GAUGE VX-950 PLUS KIT (VX-950 + VX-950IHM / MULTI-FG + 2</p>	<p>GMT543RIP</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 3 OUTLET 110/220V (SITRAD COMPATIBLE) FULL GAUGE MT-543Ri plus</p>	<p>GMT543RILP</p> <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 3 OUTLET 12/24V (SITRAD COMPATIBLE) FULL GAUGE MT-543RiL plus (DISCONTINUED)</p>
<p>GMT543ELOG</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 3 OUTLET, DATALOGGER 110/220V (SITRAD COMPATIBLE) FULL GAUGE MT-543ELOG</p>	<p>GMT543RILOG</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 3 OUTLET, DATALOGGER 110/220V (SITRAD COMPATIBLE) FULL GAUGE MT-543Ri LOG</p>	<p>GMT543RILLOG</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 3 OUTLET, DATALOGGER 12/24V (SITRAD COMPATIBLE) FULL GAUGE MT-543RiL LOG</p>	<p>GMT543EPLUS</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 4 OUTLET, 110/220V (SITRAD COMPATIBLE) FULL GAUGE MT-543E plus</p>	<p>GMT543ELPLUS</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 4 OUTLET, 12/24V (SITRAD COMPATIBLE) FULL GAUGE MT-543EL plus</p>
<p>GMT543ELLOG</p>  <p>ELECTRONIC CONTROL CHILLED / HEATING 1 SENSOR, 4 OUTLET, DATALOGGER 12/24V (SITRAD COMPATIBLE) FULL GAUGE MT-543EL LOG</p>	<p>GMT512RIP</p>  <p>ELECTRONIC CONTROL CHILLED 1 SENSOR, 1 OUTLET 110/220V (SITRAD COMPATIBLE) FULL GAUGE MT512E LOG (REPLACE MT-512Ri plus,</p>	<p>GMT512ELOG</p>  <p>ELECTRONIC CONTROL CHILLED 1 SENSOR, 1 OUTLET 110/220V (SITRAD COMPATIBLE) FULL GAUGE MT-512E LOG</p>	<p>GMT512ELLOG</p>  <p>ELECTRONIC CONTROL CHILLED 1 SENSOR, 1 OUTLET 12/24V (SITRAD COMPATIBLE) FULL GAUGE MT-512EL LOG (REPLACE MT-512Ri plus,</p>	<p>GMT-512G</p>  <p>ELECTRONIC CONTROL CHILLED TEMPERATURE CONTROL 1 SENSOR, 1 OUTLET 110/220V, BIG SCREEN, FULL GAUGE MT-512G</p>
<p>GMT512EL</p>  <p>ELECTRONIC CONTROL CHILLED TEMPERATURE CONTROL 1 SENSOR, 1 OUTLET 12/24V FULL GAUGE MT-512EL</p>	<p>GICEMATIC</p>  <p>ELECTRONIC CONTROL CYCLIC TIMER 110/220V FULL GAUGE NEW ICEMATIC</p>	<p>GTC900RIC</p>  <p>ELECTRONIC CONTROL FULL GAUGE 2 SENSORS 2 OUTLETS RTC (REAL TIME) 110/220V (SITRAD COMPATIBLE) TC-900Ri clock, Discontinued replaced by</p>	<p>GPCT3001PLUS</p>  <p>ELECTRONIC CONTROL FULL GAUGE FOR RACKS (SITRAD COMPATIBLE) PCT3001-PLUS</p>	<p>GMT530E</p>  <p>ELECTRONIC CONTROL FULL GAUGE HUMIDITY AND TEMPERATURE 110/220V (SITRAD COMPATIBLE) MT-530E super</p>
<p>GMT530EL</p>  <p>ELECTRONIC CONTROL FULL GAUGE HUMIDITY AND TEMPERATURE 12/24V (SITRAD COMPATIBLE) MT-530EL SUPER</p>	<p>GMT439</p>  <p>ELECTRONIC CONTROL FULL GAUGE MT-439 IN PLUS</p>	<p>GPCT410E</p>  <p>ELECTRONIC CONTROL FULL GAUGE PRESSURE 4 STAGES FOR RACKS 110/220V (SITRAD COMPATIBLE) (REPLACES PCT-420 Ri plus) PCT-410E plus.</p>	<p>GMICROSOL</p>  <p>ELECTRONIC CONTROL FULL GAUGE SOLAR 110/220V CYLINDRICAL MICROSOL</p>	<p>GMICROSOLRI</p>  <p>ELECTRONIC CONTROL FULL GAUGE SOLAR 110/220V MICROSOL E</p>

Galpa Export FULL GAUGE CONTROLS

<p>GMICROSOLIPLUS</p>  <p>ELECTRONIC CONTROL FULL GAUGE SOLAR 110/220V MICROSOLI-PLUS (SITRAD COMPATIBLE)</p>	<p>GTC900EL</p>  <p>ELECTRONIC CONTROL FULL GAUGE TC-900EL Power 12/24V</p>	<p>GMT516E</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE 2 STAGES MT-516E /518RI / 516RI 110/220V (REPLACE MT-518RI)</p>	<p>GMT518RI</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE 2 STAGES MT-518RI 110/220V (REPLACED BY MT-516E)</p>	<p>GMT516RI</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE TIMER MT-516RI 110/220V (DISCONTINUED)</p>
<p>GMT439R</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE WITH VOLTAGE MONITOR TRU-RMS 110/220V MT-438GM</p>	<p>GMT438GM</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE WITH VOLTAGE MONITOR TRUE-RMS 110/220V MT-438GM (DISCONTINUED)</p>	<p>GMT444VE1</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE WITH VOLTAGE MONITOR TRUE-RMS 110V MT-444 V-EXPRESS</p>	<p>GMT444VE</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE WITH VOLTAGE MONITOR TRUE-RMS 220V MT-444 V-EXPRESS</p>	<p>GMT516RVTIPLUS</p>  <p>ELECTRONIC CONTROL FULL GAUGE TEMPERATURE, TIMER WITH VOLTAGE MONITOR TRUE-RMS 110/220V MT516RVTI-PLUS (SITRAD COMPATIBLE)</p>
<p>GMT622E</p>  <p>ELECTRONIC CONTROL HEATING TEMPERATURE 1 SENSOR, 2 OUTLET 110/220V FULL GAUGE MT-622E</p>	<p>GAHC80PLUS</p>  <p>ELECTRONIC CONTROL HUMIDITY AND TEMPERATURE 110/220V FULL GAUGE AHC-80 PLUS</p>	<p>GHUMITECIII</p>  <p>ELECTRONIC CONTROL HUMIDITY AND TEMPERATURE 110/220V FULL GAUGE HUMITECIII</p>	<p>GMT514E</p>  <p>ELECTRONIC CONTROL MT-514E FREEZING/ CHILLING OR HEATING TEMPERATURE CONTROL 110/220V FULL GAUGE</p>	<p>GPENTAIII</p>  <p>ELECTRONIC CONTROL PORTABLE TEMPERATURE 5 SENSORS FULL GAUGE PENTAIII</p>
<p>GPCT100RI</p>  <p>ELECTRONIC CONTROL PRESSURE 110/220V FULL GAUGE PCT-100RI TRANSDUCER SB69V Not Included</p>	<p>GPCT100RIL</p>  <p>ELECTRONIC CONTROL PRESSURE 12/2V FULL GAUGE PCT-100RIL TRANSDUCER SB69V Not Included</p>	<p>GMT444EFIT</p>  <p>ELECTRONIC CONTROL REFRIGERATION 2 SENSORS, 4 OUTLETS 110/220V FULL GAUGE MT-444EFIT</p>	<p>GMT444ELFIT</p>  <p>ELECTRONIC CONTROL REFRIGERATION 2 SENSORS, 4 OUTLETS 12/24V FULL GAUGE MT-444ELFIT (DISCONTINUED)</p>	<p>GTIC17S</p>  <p>ELECTRONIC CONTROL TEMPERATURE -50 TO 200 C 110/220V FULL GAUGE TIC17S</p>
<p>GTIC17C</p>  <p>ELECTRONIC CONTROL TEMPERATURE 1 SENSOR 110/220V CYLINDRICAL FULL GAUGE TIC17C</p>	<p>GTI33RIP</p>  <p>ELECTRONIC CONTROL TEMPERATURE 1 SENSOR, 3 INPUT 110/220V (SITRAD COMPATIBLE) FULL GAUGE TI33RI Plus (DISCONTINUED)</p>	<p>GTI44E</p>  <p>ELECTRONIC CONTROL TEMPERATURE 1 SENSOR, 4 INPUT 110/220V (SITRAD) FULL GAUGE TI-44E Plus (TI33RI Plus)</p>	<p>GTIC17RGTI</p>  <p>ELECTRONIC CONTROL TEMPERATURE 110/220V FULL GAUGE TIC-17RGTI</p>	<p>GANASOLC</p>  <p>ELECTRONIC CONTROL TEMPERATURE 110/220V FULL GAUGE NEWANASOLGRAUS(C)</p>
<p>GTIC17RGTIL</p>  <p>ELECTRONIC CONTROL TEMPERATURE 12/24V FULL GAUGE TIC-17RGTIL</p>	<p>GMT519RI</p>  <p>ELECTRONIC CONTROL TEMPERATURE 2 INDEPENDENT STAGES 110/220V FULL GAUGE MT-519RI</p>	<p>GTI44EP</p>  <p>ELECTRONIC CONTROL TEMPERATURE 4 SENSOR 110/220V (SITRAD COMPATIBLE) FULL GAUGE TI-44E PLUS</p>	<p>GTEMPUSI</p>  <p>ELECTRONIC CONTROL TIMER 220V FULL GAUGE TEMPUS E, TEMPUS I</p>	<p>GAUTOPIDPLUS</p>  <p>ELECTRONIC COOLING / HEATING PID CONTROL 1 SENSOR, 2 OUTLETS, 1 ALARM OUTPUT, (SITRAD COMPATIBLE) 110/220V FULL GAUGE AUTOPID PLUS</p>























Galpa Export FULL GAUGE CONTROLS

<p>GSB88</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB88 1.0mm</p>	<p>GSB89</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB89 1.4mm</p>	<p>GSB90</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB90 1.8mm 1/4 x 1/4</p>	<p>GSB91</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB91 2.5mm 5/16 x 5/16</p>	<p>GSB93</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB93 3.2mm 5/16 x 5/16</p>
<p>GSB96</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB93 6.5mm 5/8 x 5/8</p>	<p>GSB94</p>  <p>ELECTRONIC EXPANSION VALVE FULL GAUGE SB94 4.0mm 5/16 x 5/16</p>	<p>GTC900ELOG</p>  <p>ELECTRONIC FREEZE CONTROL 2 SENSORS, 3 OUTLETS, 2 DIGITAL INLET, DATALOGGER 110/220V (SITRAD COMPATIBLE) FULL GAUGE TC-900E Log SUBSTITUTES</p>	<p>GTC900ELLOG</p>  <p>ELECTRONIC FREEZE CONTROL 2 SENSORS, 3 OUTLETS, 2 DIGITAL INLET, DATALOGGER 12/24V (SITRAD COMPATIBLE) FULL GAUGE TC-900EL Log</p>	<p>GTC940RIP</p>  <p>ELECTRONIC FREEZE CONTROL 2 SENSORS, 4 OUTLETS, 1 DIGITAL INLET, 110/220V FULL GAUGE (SITRAD COMPATIBLE) TC940RI-PLUS</p>
<p>GTC940RILP</p>  <p>ELECTRONIC FREEZE CONTROL 2 SENSORS, 4 OUTLETS, 1 DIGITAL INLET, 12V FULL GAUGE (SITRAD COMPATIBLE) TC940RIL-PLUS</p>	<p>GTC960RILOG</p>  <p>ELECTRONIC FREEZE CONTROL 2 SENSORS, 4 OUTLETS, 1 DIGITAL INLET, DATA LOGGER, 12/24V (SITRAD COMPATIBLE) FULL GAUGE TC-960RILOG</p>	<p>GRT607EP</p>  <p>ELECTRONIC TEMPERATURE CONTROL WITH HOUR PROGRAM SITRAD COMPATIBLE 1 SENSOR 110/220V FULL GAUGE RT-607E PLUS</p>	<p>GRT607RIP</p>  <p>ELECTRONIC TEMPERATURE CONTROL WITH HOUR PROGRAM SITRAD COMPATIBLE 1 SENSOR 110/220V FULL GAUGE RT-607Ri plus</p>	<p>GRT607ELP</p>  <p>ELECTRONIC TEMPERATURE CONTROL WITH HOUR PROGRAM SITRAD COMPATIBLE 1 SENSOR 12/24V FULL GAUGE RT-607EL PLUS</p>
<p>GGB-01C</p>  <p>ENCLOSURE CABINET FULL GAUGE GB-01C W/SWITCH</p>	<p>GENERGYLOGPLUS50</p>  <p>ENERGY CONTROL FULL GAUGE ENERGYLOG PLUS 50HZ</p>	<p>GENERGYLOGPLUS</p>  <p>ENERGY CONTROL FULL GAUGE ENERGYLOG PLUS 60HZ</p>	<p>GPWR3200PLUS</p>  <p>ENERGY CONTROL FULL GAUGE PWR-3200 PLUS</p>	<p>GEXTFRAME</p>  <p>EXTENSION FRAME FULL GAUGE W/SWITCH ME-01</p>
<p>GPSA250D</p>  <p>EXTERNAL POWER SUPPLY 90-264Vac 50/60HZ - 12Vdc 250mA FULL GAUGE PSA-250D</p>	<p>FGWCONV</p>  <p>FG-WI CONVERTER FULL GAUGE TRANSMITTER / RECIEVER RS-485 / RF</p>	<p>GBC01</p>  <p>JUNCTION BLOCK FULL GAUGE BC-01</p>	<p>GMOD142</p>  <p>MODULE EXPANDER 14 INPUTS / 2 OUTPUTS 110/220V FULL GAUGE MOD142</p>	<p>GMOD64</p>  <p>MODULE EXPANDER 6 INPUTS / 4 OUTPUTS 110/220V FULL GAUGE MOD64</p>
<p>GSB41B</p>  <p>NTC SENSOR FULL GAUGE SB41 BLACK 10K 2.5M -58F TO 302F (-50C TO150C)</p>	<p>GSB41G</p>  <p>NTC SENSOR FULL GAUGE SB41 GRAY 10K 2.5M -58F TO 302F (-50C TO150C)</p>	<p>GSB59</p>  <p>NTC SENSOR FULL GAUGE SB59 BLACK 10K 2.5M -58F TO 392F (-50C TO 200C)</p>	<p>GSB28</p>  <p>NTC SENSOR TEMPERATURE WITH SCREW FULL GAUGE SB28 BLACK 10K 2.5M -58F TO 302F (-50C TO 150C)</p>	<p>GT0711B</p>  <p>OVEN THERMOSTAT TIMER 85-265V/50-60HZ THERMON FULL GAUGE TO-711B FOR GAS, ELECTRI OR WOOD-FIRED OVEN -10 TO 500C/ 14 TO 932F 6 RELAY</p>



Galpa Export FULL GAUGE CONTROLS

<p>GTO711B</p>  <p>OVEN THERMOSTAT TIMER 85-265V/50-60HZ THERMON FULL GAUGE TO-711B FOR GAS, ELECTRI OR WOOD-FIRED OVEN -10 TO 500C/ 14 TO 932F 6 RELAY GMONIVOLT</p>	<p>GTO712F</p>  <p>OVEN THERMOSTAT TIMER 85-265V/50-60HZ THERMON FULL GAUGE TO-711F FOR GAS, ELECTRI OR WOOD-FIRED OVEN -10 TO 500C/ 14 TO 932F 4 RELAY GSB69100A</p>	<p>GT0711F</p>  <p>OVEN THERMOSTAT TIMER 85-265V/50-60HZ THERMON FULL GAUGE TO-711F FOR GAS, ELECTRI OR WOOD-FIRED OVEN -10 TO 500C/ 14 TO 932F 7 RELAY GSB69100V</p>	<p>GTO711F</p>  <p>OVEN THERMOSTAT TIMER 85-265V/50-60HZ THERMON FULL GAUGE TO-711F FOR GAS, ELECTRI OR WOOD-FIRED OVEN -10 TO 500C/ 14 TO 932F 7 RELAY GSB69200A</p>	<p>GTO712B</p>  <p>OVEN THERMOSTAT TIMER 85-265V/50-60HZ THERMON FULL GAUGE TO-712B FOR GAS, ELECTRIC OR WOOD-FIRED OVEN -10 TO 500C / 14 TO 932F 4 RELAY GSB69500A</p>
<p>GSB69500V</p>  <p>PRESSURE TRANSDUCER FULL GAUGE SB69-500V 500 PSI 0.5-4.5V</p>	<p>GEASYPROG</p>  <p>PROGRAMMING KEY FULL GAUGE EASYPROG</p>	<p>GECASE</p>  <p>PROTECTIVE CASE FULL GAUGE ECASE</p>	<p>G03130</p>  <p>RC FILTER SUPPRESSOR X2 0.1mf 400V 100ohm 5w FULL GAUGE 03130</p>	<p>GFGWRROUT</p>  <p>ROUTER FULL GAUGE FG-WI-ROUTER</p>
<p>GSB56</p>  <p>SENSOR TEMPERATURE AND HUMIDITY 2.5M FULL GAUGE SB56 (WORKS WITH MT-530E SUPER)</p>	<p>GSB80</p>  <p>Sensors Kit SB80</p>	<p>GCONV256</p>  <p>SERIAL INTERFACE CONV 256 RS-232 USB / RS-485</p>	<p>GFS10</p>  <p>Surge Protector Full Gauge 10pc pack</p>	<p>GSB19</p>  <p>TEMPERATURE SENSOR FULL GAUGE ROLLERBAG SB19 LENGHT 2.5M</p>
<p>GSB12</p>  <p>TEMPERATURE SENSOR FULL GAUGE SB12 TYPE J 32 TO 572F (0 TO 300C)</p>	<p>GSB57</p>  <p>TEMPERATURE SENSOR FULL GAUGE SB57 FOR CORE 75MM X 05MM</p>	<p>GTERMOWELL</p>  <p>Thermowell FULL GAUGE, Brass 43MM Screw M10 X 1,5MM, 16029</p>	<p>GPHASELOGP</p>  <p>VOLTAGE MONITOR FULL GAUGE PHASELOG plus 3 PHASE LOADS DATA LOGGER (SITRAD COMPATIBLE) (DISCONTINUED)</p>	<p>GPHASELOGEP</p>  <p>VOLTAGE MONITOR FULL GAUGE PHASELOGE plus 3 PHASE LOADS TRUE RMS DATA LOGGER (SITRAD COMPATIBLE)</p>