










































Galpa Export Ecox VRF Outdoor Units

<p>G1111.EMVRF36C00B</p>  <p>Outdoor Unit Mini Vrf 35.800btu (3.0ton) R410 220v/60hz/1ph Corrosion Protection</p>	<p>G1111.EMVRF50C00B</p>  <p>Outdoor Unit Mini Vrf 49.267btu (4.1ton) R410 220v/60hz/1ph</p>	<p>G1111.EMVRF56C00B</p>  <p>Outdoor Unit Mini Vrf 56.305btu (4.7ton) R410 220v/60hz/1ph Corrosion Protection</p>	<p>G1111.EMVRF60C00B</p>  <p>Outdoor Unit Mini Vrf 60.000btu (5ton) R410 220v/60hz/1ph Corrosion Protection</p>	<p>G1111.EMVRF85C00C</p>  <p>Outdoor Unit Mini Vrf 85.986btu (7.1ton) R410 220v/60hz/3ph Corrosion Protection EMVRF85C00C</p>
<p>G1111.EMVRF95C00C</p>  <p>Outdoor Unit Mini Vrf 95.540btu (7.9ton) R410 220v/60hz/3ph Corrosion Protection EMVRF95C00C</p>	<p>G1111.G1111.EMVRF95C00C</p>  <p>Outdoor Unit Mini Vrf 95.540btu (7.9ton) R410 220v/60hz/3ph Corrosion Protection EMVRF95C00C</p>	<p>G1111.EMVRF036H00B117A</p>  <p>Outdoor Unit Mini Vrf Ecox 36.000btu R410 208-230v/60hz/1ph Corrosion Protection Emvrf036h00b117a EtI/CetI</p>	<p>G1111.EMVRF048H00B117A</p>  <p>Outdoor Unit Mini Vrf Ecox 48.000btu R410 208-230v/50-60hz/1ph Emvrf048h00b117a</p>	<p>G1111.EMVRF060H00B117A</p>  <p>Outdoor Unit Mini Vrf Ecox 60.000btu R410 208-230v/60hz/1ph Emvrf060h00b117a</p>
<p>G1111.EVCPR0115CA00C</p>  <p>Outdoor Unit Vrf 114.306btu (9.5ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPR0115CA00C</p>	<p>G1111.E5SPRF115CA00C</p>  <p>Outdoor Unit Vrf 115.000btu (9.8ton) R410 220v/60hz/3ph Cooling/Heating, E5sprf115ca00c</p>	<p>G1111.E5SPRF115H00H</p>  <p>Outdoor Unit Vrf 115.000btu (9.8ton) R410 380-415v/50-60hz/3ph Cooling/Heating, E5sprf115h00h</p>	<p>G1111.ECCRF118H00C</p>  <p>Outdoor Unit Vrf 117.889 Btu (9.8 Ton) R410 220v/60hz/3p Corrosion Protection</p>	<p>G1111.ECVRF118C00C</p>  <p>Outdoor Unit Vrf 117.889 Btu (9.8 Ton) R410 220v/60hz/3ph</p>
<p>G1111.E4PRF118CC00C</p>  <p>Outdoor Unit Vrf 117.889btu (9.8ton) R410 220v/60hz/3ph Cooling Only</p>	<p>G1111.E4PRF118CA00C</p>  <p>Outdoor Unit Vrf 117.889btu (9.8ton) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E4PRF118C00C</p>  <p>Outdoor Unit Vrf 117.889btu (9.8ton) R410 220v/60hz/3ph Cooling/Heating</p>	<p>G1111.E4SPRF118CA00C</p>  <p>Outdoor Unit Vrf 117.889btu (9.8ton) R410 220v/60hz/3ph Cooling/Heating, Corrosion Protection</p>	<p>G1111.E4SPRF118CA00H</p>  <p>Outdoor Unit Vrf 117.889btu (9.8ton) R410 380-415v/50hz/3ph Cooling/Heating, Corrosion Protection</p>
<p>G1111.E4SPRF118H00G</p>  <p>Outdoor Unit Vrf 117.889btu (9.8ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf118h00g</p>	<p>G1111.EVCPR0140CA00C</p>  <p>Outdoor Unit Vrf 136.485btu (11.3ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPR0140CA00C</p>	<p>G1111.E4PRF140CC00C</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 220v/60hz/3ph Cooling Only</p>	<p>G1111.E4PRF140CA00C</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E4PRF140C00C</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 220v/60hz/3ph Cooling/Heating</p>
<p>G1111.E4SPRF140CA00C</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 220v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf140ca00c</p>	<p>G1111.E5SPRF140CA00C</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 220v/60hz/3ph Cooling/Heating, E5sprf140ca00c</p>	<p>G1111.E5SPRF140H00H</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 380-415v/50-60hz/3ph Cooling/Heating, E5sprf140h00h</p>	<p>G1111.E4SPRF140CA00H</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 380-415v/50hz/3ph Cooling/Heating, Corrosion Protection E4sprf140ca00h</p>	<p>G1111.E4SPRF140H00G</p>  <p>Outdoor Unit Vrf 140.767btu (11.7ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf140h00g</p>

































Galpa Export Ecox VRF Outdoor Units

<p>G1111.EVCPRO150CA00C</p> <p>Outdoor Unit Vrf 153.546btu (12.8ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO150CA00C</p>	<p>G1111.E5SPRF155CA00C</p> <p>Outdoor Unit Vrf 155.000btu (13.2ton) R410 220v/60hz/3ph Cooling/Heating, E5sprf155ca00c</p>	<p>G1111.E5SPRF155H00H</p> <p>Outdoor Unit Vrf 155.000btu (13.2ton) R410 380-415v/50-60hz/3ph Cooling/Heating, E5sprf155h00h</p>	<p>G1111.E4PRF158CC00C</p>  <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 220v/60hz/3ph Cooling Only</p>	<p>G1111.E4PRF158CA00C</p>  <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>
<p>G1111.E4PRF158C00C</p>  <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 220v/60hz/3ph Cooling/Heating</p>	<p>G1111.E4SPRF158CA00C</p>  <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 220v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf158ca00c</p>	<p>G1111.E4SPRF158CA00H</p>  <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 380-415v/50hz/3ph Cooling/Heating, Corrosion Protection E4sprf158ca00h</p>	<p>G1111.E4SPRF158H00G</p> <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf158h00g</p>	<p>G1111.E4PRF188C00C</p>  <p>Outdoor Unit Vrf 158.358btu (13.2ton) R410 220v/60hz/3ph</p>
<p>G1111.EVCPRO170CA00C</p> <p>Outdoor Unit Vrf 170.606btu (14.2ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO170CA00C</p>	<p>G1111.E5SPRF175CA00C</p> <p>Outdoor Unit Vrf 171.000btu (14.3ton) R410 220v/60hz/3ph Cooling/Heating, E5sprf175ca00c</p>	<p>G1111.E5SPRF175H00H</p> <p>Outdoor Unit Vrf 171.000btu (14.3ton) R410 380-415v/50-60hz/3ph Cooling/Heating, E5sprf175h00h</p>	<p>G1111.E4SPRF175CA00C</p>  <p>Outdoor Unit Vrf 175.950btu (14.6t) R410 220v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf175ca00c</p>	<p>G1111.E4SPRF175CA00H</p>  <p>Outdoor Unit Vrf 175.950btu (14.6t) R410 380-415v/50hz/3ph Cooling/Heating, Corrosion Protection E4sprf175ca00h</p>
<p>G1111.E4SPRF175H00G</p> <p>Outdoor Unit Vrf 175.950btu (14.6t) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf175h00g</p>	<p>G1111.E5SPRF190CA00C</p> <p>Outdoor Unit Vrf 191.000btu (16.0ton) R410 220v/60hz/3ph Cooling/Heating, E5sprf190ca00c</p>	<p>G1111.E5SPRF190H00H</p> <p>Outdoor Unit Vrf 191.000btu (16.0ton) R410 380-415v/50-60hz/3ph Cooling/Heating, E5sprf190h00h</p>	<p>G1111.EVCPRO190CA00C</p> <p>Outdoor Unit Vrf 191.079btu (15.9ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO190CA00C</p>	<p>G1111.EVCPRO210CA00C</p> <p>Outdoor Unit Vrf 209.846btu (17.4ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO210CA00C</p>
<p>G1111.E5SPRF210CA00C</p> <p>Outdoor Unit Vrf 210.000btu (17.6ton) R410 220v/60hz/3ph Cooling/Heating, E5sprf210ca00c</p>	<p>G1111.E5SPRF210H00H</p> <p>Outdoor Unit Vrf 210.000btu (17.6ton) R410 380-415v/50-60hz/3ph Cooling/Heating, E5sprf210h00h</p>	<p>G1111.EVCPRO230CA00C</p> <p>Outdoor Unit Vrf 228.613btu (19.0ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO230CA00C</p>	<p>G1111.EVCPRO250CA00C</p> <p>Outdoor Unit Vrf 249.085btu (20.7ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO250CA00C</p>	<p>G1111.EVCPRO270CA00C</p> <p>Outdoor Unit Vrf 267.852btu (22.3ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO270CA00C</p>
<p>G1111.EVCPRO290CA00C</p> <p>Outdoor Unit Vrf 290.031btu (24.1ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO290CA00C</p>	<p>G1111.EVCPRO80CA00C</p> <p>Outdoor Unit Vrf 76.432btu (6.4ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPRO80CA00C</p>	<p>G1111.E5SPRF90CA00C</p> <p>Outdoor Unit Vrf 86.000btu (7.2t) R410 220v/60hz/3ph Cooling/Heating, E5sprf90ca00c</p>	<p>G1111.E5SPRF90H00H</p> <p>Outdoor Unit Vrf 86.000btu (7.2t) R410 380-415v/50hz/3ph Cooling/Heating, E5sprf90h00h</p>	<p>G1111.ECVRF90C00C</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 220v/60hz/3ph</p>



Galpa Export Ecox VRF Outdoor Units

<p>G1111.ECCRF90H00C</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 220v/60hz/3ph A-C</p>	<p>G1111.E4PRF90CC00C</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 220v/60hz/3ph Cooling Only</p>	<p>G1111.E4PRF90CA00C</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E4PRF90C00C</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 220v/60hz/3ph Cooling/Heating</p>	<p>G1111.E4SPRF90CA00C</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 220v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf90ca00c</p>
<p>G1111.E4SPRF90CA00H</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 380-415v/50hz/3ph Cooling/Heating, Corrosion Protection E4sprf90ca00h</p>	<p>G1111.E4SPRF90H00G</p>  <p>Outdoor Unit Vrf 89.736btu (7.5ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf90h00g</p>	<p>G1111.EVCPR096CA00C</p>  <p>Outdoor Unit Vrf 95.540.btu (7.9ton) R410 220v/60hz/3ph Cooling, Corrosion Protection EVCPR096CA00C</p>	<p>G1111.E5SPRF98CA00C</p>  <p>Outdoor Unit Vrf 98.000btu (8.2t) R410 220v/60hz/3ph Cooling/Heating, E5sprf98ca00c</p>	<p>G1111.E5SPRF98H00H</p>  <p>Outdoor Unit Vrf 98.000btu (8.2t) R410 380-415v/50hz/3ph Cooling/Heating, E5sprf98h00h</p>
<p>G1111.E4PRF98CA00C</p>  <p>Outdoor Unit Vrf 98.534btu (8.2t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E4PRF98C00C</p>  <p>Outdoor Unit Vrf 98.534btu (8.2t) R410 220v/60hz/3ph Cooling/Heating</p>	<p>G1111.E4SPRF98CA00C</p>  <p>Outdoor Unit Vrf 98.534btu (8.2t) R410 220v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf98ca00c</p>	<p>G1111.E4SPRF98CA00H</p>  <p>Outdoor Unit Vrf 98.534btu (8.2t) R410 380-415v/50hz/3ph Cooling/Heating, Corrosion Protection E4sprf98ca00h</p>	<p>G1111.E4SPRF98H00G</p>  <p>Outdoor Unit Vrf 98.534btu (8.2t) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf98h00g</p>
<p>G1111.E4PRF98CC00C</p>  <p>Outdoor Unit Vrf 98.534btu (8.2ton) R410 220v/60hz/3ph Cooling Only</p>	<p>G1111.E4SPRF120H00C115A</p>  <p>Outdoor Unit Vrf Ecox 112.000btu (10ton) R410 208-230v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf120h00c115a</p>	<p>G1111.E4SPRF120H00G115A</p>  <p>Outdoor Unit Vrf Ecox 112.000btu (10ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf120h00g115a</p>	<p>G1111.E4SPRF144H00C115A</p>  <p>Outdoor Unit Vrf Ecox 136.000btu (12ton) R410 208-230v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf144h00c115a</p>	<p>G1111.E4SPRF144H00G115A</p>  <p>Outdoor Unit Vrf Ecox 136.000btu (12ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf144h00g115a</p>
<p>G1111.E4SPRF072H00C115A</p>  <p>Outdoor Unit Vrf Ecox 69.000btu (6ton) R410 208-230v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf072h00c115a</p>	<p>G1111.E4SPRF072H00G115A</p>  <p>Outdoor Unit Vrf Ecox 69.000btu (6ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf072h00g115a</p>	<p>G1111.E4SPRF096H00C115A</p>  <p>Outdoor Unit Vrf Ecox 92.000btu (8ton) R410 208-230v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf096h00c115a</p>	<p>G1111.E4SPRF096H00G115A</p>  <p>Outdoor Unit Vrf Ecox 92.000btu (8ton) R410 460v/60hz/3ph Cooling/Heating, Corrosion Protection E4sprf096h00g115a</p>	<p>G1111.E5PRF118CA00C</p>  <p>Outdoor Unit Vrf V5x 117.889btu (9.8t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>
<p>G1111.E5PRF140CA00C</p>  <p>Outdoor Unit Vrf V5x 140.767btu (11.7t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E5PRF158CA00C</p>  <p>Outdoor Unit Vrf V5x 158.358btu (13.2t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E5PRF175CA00C</p>  <p>Outdoor Unit Vrf V5x 175.950btu (14.6t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E5PRF197CA00C</p>  <p>Outdoor Unit Vrf V5x 197.067btu (16.4t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>	<p>G1111.E5PRF216CA00C</p>  <p>Outdoor Unit Vrf V5x 216.422btu (18.0t) R410 220v/60hz/3ph Cooling Only, Corrosion Protection</p>



Galpa Export Ecox VRF Outdoor Units

G1111.E5PRF90CA00C



Outdoor Unit Vrf V5x
89.736btu (7.5ton) R410
220v/60hz/3ph Cooling
Only, Corrosion
Protection

G1111.E5PRF98CA00C



Outdoor Unit Vrf V5x
98.534btu (8.2t) R410
220v/60hz/3ph Cooling
Only, Corrosion
Protection