

































Galpa Export Appli Parts Run Capacitors

<p>G0319.155</p>  <p>Appli Parts Dual Run Capacitor 15 + 5 Mfd (microfarads) 370 Volts Oval CON-15/5-370 Replaces CAP-15/5-370</p>	<p>G0318.155</p>  <p>Appli Parts Dual Run Capacitor 15+5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 3-1/2 in. Height CON-15/5-370-R Replaces CAP-15/5-370-R</p>	<p>G0319.205</p>  <p>Appli Parts Dual Run Capacitor 20 + 5 Mfd (microfarads) 370 Volts Oval 2-3/4 in Wide 1-3/4 in Depth 4-1/4 in Height CON-20/5-370 Replaces</p>	<p>G0318.205</p>  <p>Appli Parts Dual Run Capacitor 20 + 5 Mfd (microfarads) uF 370 VAC Round 2 in. Diameter 3-3/4 in. Height CON-20/5-370-R Replaces</p>	<p>G1111.CC075</p>  <p>Appli Parts Dual Run Capacitor 20 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round 3-3/4 in High 2 in Wide CON-20/5-450 Replaces</p>
<p>G0319.255</p>  <p>Appli Parts Dual Run Capacitor 25 + 5 Mfd (microfarads) 370 Volts Oval 2-3/4 in Wide 1-3/4 in Depth 4-1/8 Height CON-25/5-370 Replaces</p>	<p>G1111.CC085</p>  <p>Appli Parts Dual Run Capacitor 25 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round 4-1/4 in High 2 in Wide CON-25/5-450 Replaces</p>	<p>G0318.255</p>  <p>Appli Parts Dual Run Capacitor 25 + 5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 3-3/4 in. Height CON-25/5-370-R Replaces CAP-25/5-370-R</p>	<p>G0319.305</p>  <p>Appli Parts Dual Run Capacitor 30 + 5 Mfd (microfarads) 370 Volts Oval 1-3/4 in. Wide 2-3/4 in. Depth 3-1/2 in. Height CON-30/5-370 Replaces</p>	<p>G1111.CC095</p>  <p>Appli Parts Dual Run Capacitor 30 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-30/5-450 Replaces CAP-30/5-450</p>
<p>G0318.305</p>  <p>Appli Parts Dual Run Capacitor 30 + 5 Mfd uF (microfarads) 370 VAC Round CON-30/5-370-R Replaces CAP-30/5-370-R</p>	<p>G1111.CC1210</p>  <p>Appli Parts Dual Run Capacitor 35 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-35/10-450 Replaces CAP-35/10-450</p>	<p>G0318.3510</p>  <p>Appli Parts Dual Run Capacitor 35 + 10 Mfd uF (microfarads) 370 VAC Round 5-1/4 in High 2 in Wide CON-35/10-370-R Replaces CAP-35/10-370-R</p>	<p>G0319.355</p>  <p>Appli Parts Dual Run Capacitor 35 + 5 mfd (Microfarads) 370 Volts Oval CON-35/5-370 Replaces CAP-35/5-370</p>	<p>G1111.CC125</p>  <p>Appli Parts Dual Run Capacitor 35 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round 4-1/2 in High 2 in Wide CON-35/5-450 Replaces</p>
<p>G0318.355</p>  <p>Appli Parts Dual Run Capacitor 35 + 5 Mfd uF (microfarads) 370 VAC Round CON-35/5-370-R Replaces CAP-35/5-370-R</p>	<p>G1111.CC1275</p>  <p>Appli Parts Dual Run Capacitor 35 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-35/7.5-450 Replaces CAP-35/7.5-450</p>	<p>G0318.3575</p>  <p>Appli Parts Dual Run Capacitor 35 + 7.5 Mfd uF (microfarads) 370 VAC Round 4-3/4 in High 2 in Wide CON-35/7.5-370-R Replaces CAP-35/7.5-370-R</p>	<p>G1111.CC3610</p>  <p>Appli Parts Dual Run Capacitor 40 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-40/10-450 Replaces CAP-40/10-450</p>	<p>G0318.4010</p>  <p>Appli Parts Dual Run Capacitor 40 + 10 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 5-1/8 in. Height CON-40/10-370-R Replaces</p>
<p>G0319.405</p>  <p>Appli Parts Dual Run Capacitor 40 + 5 Mfd (microfarads) 370 Volts Oval CON-40/5-370 Replaces CAP-40/5-370</p>	<p>G1111.CC365</p>  <p>Appli Parts Dual Run Capacitor 40 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-40/5-450 Replaces CAP-40/5-450</p>	<p>G0318.405</p>  <p>Appli Parts Dual Run Capacitor 40 + 5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 4-5/8 in. Height CON-40/5-370-R Replaces CAP-40/5-370-R</p>	<p>G1111.CC3675</p>  <p>Appli Parts Dual Run Capacitor 40 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-40/7.5-450 Replaces CAP-40/7.5-450</p>	<p>G0318.4075</p>  <p>Appli Parts Dual Run Capacitor 40 + 7.5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 4-3/4 in. Height CON-40/7.5-370-R Replaces</p>
<p>G1111.CC1810</p>  <p>Appli Parts Dual Run Capacitor 45 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-45/10-450 Replaces CAP-45/10-450</p>	<p>G0318.4510</p>  <p>Appli Parts Dual Run Capacitor 45 + 10 Mfd uF (microfarads) 370 VAC Round 2-1/8 in. Wide 5-3/8 in. Height CON-45/10-370-R Replaces</p>	<p>G0319.455</p>  <p>Appli Parts Dual Run Capacitor 45 + 5 Mfd (microfarads) 370 Volts Oval CON-45/5-370 Replaces CAP-45/5-370</p>	<p>G1111.CC185</p>  <p>Appli Parts Dual Run Capacitor 45 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round 5-1/4 in Height 2-1/4 in Wide CON-45/5-450 Replaces</p>	<p>G0318.455</p>  <p>Appli Parts Dual Run Capacitor 45 + 5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 5-1/8 in. Height CON-45/5-370-R Replaces CAP-45/5-370-R</p>

Galpa Export Appli Parts Run Capacitors

<p>G1111.CC1875</p>  <p>Appli Parts Dual Run Capacitor 45 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-45/7.5-450 Replaces CAP-45/7.5-450</p>	<p>G0318.4575</p>  <p>Appli Parts Dual Run Capacitor 45 + 7.5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 5-3/8 in. Height CON-45/7.5-370-R Replaces CAP-45/7.5-370-R</p>	<p>G1111.CC2410</p>  <p>Appli Parts Dual Run Capacitor 50 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-50/10-450 Replaces CAP-50/10-450</p>	<p>G0318.5010</p>  <p>Appli Parts Dual Run Capacitor 50 + 10 Mfd uF (microfarads) 370 VAC Round 2-1/4 in. Wide 5-3/8 in. Height CON-50/10-370-R Replaces CAP-50/10-370-R</p>	<p>G0319.505</p>  <p>Appli Parts Dual Run Capacitor 50 + 5 Mfd (microfarads) 370 volts Oval CON-50/5-370 Replaces CAP-50/5-370</p>
<p>G1111.CC245</p>  <p>Appli Parts Dual Run Capacitor 50 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-50/5-450 Replaces CAP-50/5-450</p>	<p>G0318.505</p>  <p>Appli Parts Dual Run Capacitor 50 + 5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 5-1/4 in. Height CON-50/5-370-R Replaces CAP-50/5-370-R</p>	<p>G1111.CC2475</p>  <p>Appli Parts Dual Run Capacitor 50 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-50/7.5-450 Replaces CAP-50/7.5-450</p>	<p>G0318.5075</p>  <p>Appli Parts Dual Run Capacitor 50 + 7.5 Mfd uF (microfarads) 370 VAC Round 2 in. Wide 5-3/8 in. Height CON-50/7.5-370-R Replaces CAP-50/7.5-370-R</p>	<p>G1111.CC5510</p>  <p>Appli Parts Dual Run Capacitor 55 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-55/10-450 Replaces CAP-55/10-450</p>
<p>G0318.5510</p>  <p>Appli Parts Dual Run Capacitor 55 + 10 Mfd uF (microfarads) 370 VAC Round 2-1/4 in Wide 5-1/2 in Height CON-55/10-370-R Replaces CAP-55/10-370-R</p>	<p>G0319.555</p>  <p>Appli Parts Dual Run Capacitor 55 + 5 Mfd (microfarads) 370 Volts Oval CON-55/5-370 Replaces CAP-55/5-370</p>	<p>G1111.CC555</p>  <p>Appli Parts Dual Run Capacitor 55 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-55/5-450 Replaces CAP-55/5-450</p>	<p>G0318.555</p>  <p>Appli Parts Dual Run Capacitor 55 + 5 Mfd uF (microfarads) 370 VAC Round CON-55/5-370-R Replaces CAP-55/5-370-R</p>	<p>G1111.CC5575</p>  <p>Appli Parts Dual Run Capacitor 55 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-55/7.5-450 Replaces CAP-55/7.5-450</p>
<p>G0318.5575</p>  <p>Appli Parts Dual Run Capacitor 55 + 7.5 Mfd uF (microfarads) 370 VAC Round 2-1/4 in. Wide 5-1/4 in. Height CON-55/7.5-370-R Replaces CAP-55/7.5-370-R</p>	<p>G1111.CC6010</p>  <p>Appli Parts Dual Run Capacitor 60 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-60/10-450 Replaces CAP-60/10-450</p>	<p>G0318.6010</p>  <p>Appli Parts Dual Run Capacitor 60 + 10 Mfd uF (microfarads) 370 VAC Round 2-1/4 in. Wide 5-1/2 in. Height CON-60/10-370-R Replaces CAP-60/10-370-R</p>	<p>G0319.605</p>  <p>Appli Parts Dual Run Capacitor 60 + 5 Mfd (microfarads) 370v Oval CON-60/5-370 Replaces CAP-60/5-370</p>	<p>G1111.CC6005</p>  <p>Appli Parts Dual Run Capacitor 60 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-60/5-450 Replaces CAP-60/5-450</p>
<p>G0318.605</p>  <p>Appli Parts Dual Run Capacitor 60 + 5 Mfd uF (microfarads) 370 VAC Round CON-60/5-370-R Replaces CAP-60/5-370-R</p>	<p>G1111.CC6075</p>  <p>Appli Parts Dual Run Capacitor 60 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-60/7.5-450 Replaces CAP-60/7.5-450</p>	<p>G0318.6075</p>  <p>Appli Parts Dual Run Capacitor 60 + 7.5 Mfd uF (microfarads) 370 VAC Round 2-1/8 in Wide 5-3/8 in Height CON-60/7.5-370-R Replaces CAP-60/7.5-370-R</p>	<p>G1111.CC6510</p>  <p>Appli Parts Dual Run Capacitor 65 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-65/10-450 Replaces CAP-65/10-450</p>	<p>G1111.CC655</p>  <p>Appli Parts Dual Run Capacitor 65 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-65/5-450 Replaces CAP-65/5-450</p>
<p>G1111.CC6575</p>  <p>Appli Parts Dual Run Capacitor 65 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-65/7.5-450 Replaces CAP-65/7.5-450</p>	<p>G1111.CC7010</p>  <p>Appli Parts Dual Run Capacitor 70 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-70/10-450 Replaces CAP-70/10-450</p>	<p>G0318.7010</p>  <p>Appli Parts Dual Run Capacitor 70 + 10 Mfd uF (microfarads) 370 VAC Round CON-70/10-370-R Replaces CAP-70/10-370-R</p>	<p>G1111.CC605</p>  <p>Appli Parts Dual Run Capacitor 70 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-70/5-450 Replaces CAP-70/5-450</p>	<p>G0318.705</p>  <p>Appli Parts Dual Run Capacitor 70 + 5 Mfd uF (microfarads) 370 VAC Round CON-70/5-370-R Replaces CAP-70/5-370-R</p>

Galpa Export Appli Parts Run Capacitors

<p>G1111.CC7075</p>  <p>Appli Parts Dual Run Capacitor 70 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-70/7.5-450 Replaces CAP-70/7.5-450</p>	<p>G0318.7075</p>  <p>Appli Parts Dual Run Capacitor 70 + 7.5 Mfd uF (microfarads) 370 VAC Round CON-70/7.5-370-R Replaces CAP-70/7.5-370-R</p>	<p>G1111.CC7510</p>  <p>Appli Parts Dual Run Capacitor 75 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-75/10-450 Replaces CAP-75/10-450</p>	<p>G0318.7510</p>  <p>Appli Parts Dual Run Capacitor 75 + 10 Mfd uF (microfarads) 370 VAC Round CON-75/10-370-R Replaces CAP-75/10-370-R</p>	<p>G1111.CC7555</p>  <p>Appli Parts Dual Run Capacitor 75 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-75/5-450 Replaces CAP-75/5-450</p>
<p>G0318.7555</p>  <p>Appli Parts Dual Run Capacitor 75 + 5 Mfd uF (microfarads) 370 VAC Round CON-75/5-370-R Replaces CAP-75/5-370-R</p>	<p>G1111.CC7575</p>  <p>Appli Parts Dual Run Capacitor 75 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-75/7.5-450 Replaces CAP-75/7.5-450</p>	<p>G0318.7575</p>  <p>Appli Parts Dual Run Capacitor 75 + 7.5 Mfd uF (microfarads) 370 VAC Round CON-75/7.5-370-R Replaces CAP-75/7.5-370-R</p>	<p>G1111.CC8010</p>  <p>Appli Parts Dual Run Capacitor 80 + 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-80/10-450 Replaces CAP-80/10-450</p>	<p>G0318.8010</p>  <p>Appli Parts Dual Run Capacitor 80 + 10 Mfd uF (microfarads) 370 VAC Round CON-80/10-370-R Replaces CAP-80/10-370-R</p>
<p>G0318.805</p>  <p>Appli Parts Dual Run Capacitor 80 + 5 Mfd (microfarads) 370 Volts Oval CON-80/5-370 Replaces CAP-80/5-370</p>	<p>G1111.CC805</p>  <p>Appli Parts Dual Run Capacitor 80 + 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-80/5-450 Replaces CAP-80/5-450</p>	<p>G0318.805</p>  <p>Appli Parts Dual Run Capacitor 80 + 5 Mfd uF (microfarads) 370 VAC Round 2-1/2 in. Wide 5-1/4 in. Height CON-80/5-370-R Replaces CAP-80/5-370-R</p>	<p>G1111.CC8075</p>  <p>Appli Parts Dual Run Capacitor 80 + 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-80/7.5-450 Replaces CAP-80/7.5-450</p>	<p>G0318.8075</p>  <p>Appli Parts Dual Run Capacitor 80 + 7.5 Mfd uF (microfarads) 370 VAC Round CON-80/7.5-370-R Replaces CAP-80/7.5-370-R</p>
<p>G1111.CV07</p>  <p>Appli Parts Fan Capacitor 1.5 mfd (microfarads) uf 450vac Terminal Connections CAP-1.5-450</p>	<p>G1111.CV1022C</p>  <p>Appli Parts Fan Capacitor 10 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-10-250-2C / CON-10-250</p>	<p>G1111.WCC122</p>  <p>Appli Parts Fan Capacitor 10 mfd (microfarads) uf 450vac Terminal Connections CAP-10-450</p>	<p>G1111.CV1222C</p>  <p>Appli Parts Fan Capacitor 12 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-12-250-2C / CON-12-250</p>	<p>G1111.CV122</p>  <p>Appli Parts Fan Capacitor 12 mfd (microfarads) uf 250vac Terminal Connections CAP-12-250</p>
<p>G1111.WCC121</p>  <p>Appli Parts Fan Capacitor 12 mfd (microfarads) uf 450vac Terminal Connections CAP-12-450</p>	<p>G1111.CV152</p>  <p>Appli Parts Fan Capacitor 15 mfd (microfarads) uf 250vac Terminal Connections CAP-15-250</p>	<p>G1111.CV182</p>  <p>Appli Parts Fan Capacitor 18 mfd (microfarads) uf 250vac Terminal Connections CAP-18-250</p>	<p>G1111.CV222C</p>  <p>Appli Parts Fan Capacitor 2 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-2-250-2C / CON-2-250</p>	<p>G1111.CV09</p>  <p>Appli Parts Fan Capacitor 2 Mfd (microfarads) uf 450vac Terminal Connections CAP-2-450</p>
<p>G1111.CV2522C</p>  <p>Appli Parts Fan Capacitor 2.5 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-2.5-250-2C / CON-2.5-250</p>	<p>G1111.CV13</p>  <p>Appli Parts Fan Capacitor 2.5 mfd (microfarads) uf 250vac Terminal Connections CAP-2.5-250</p>	<p>G1111.CV12</p>  <p>Appli Parts Fan Capacitor 2.5 mfd (microfarads) uf 450vac Terminal Connections CAP-2.5-450</p>	<p>G1111.CV322C</p>  <p>Appli Parts Fan Capacitor 3 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-3-250-2C / CON-3-250</p>	<p>G1111.CV18</p>  <p>Appli Parts Fan Capacitor 3 mfd (microfarads) uf 450vac Terminal Connections CAP-3-450</p>




Galpa Export Appli Parts Run Capacitors

<p>G1111.CV3522C</p>  <p>Appli Parts Fan Capacitor 3.5 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-3.5-250-2C / CON-3.5-250</p>	<p>G1111.CV20</p>  <p>Appli Parts Fan Capacitor 3.5 mfd (microfarads) uf 450vac Terminal Connections CAP-3.5-450</p>	<p>G1111.CV422C</p>  <p>Appli Parts Fan Capacitor 4 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-4-250-2C / CON-4-250</p>	<p>G1111.CV24</p>  <p>Appli Parts Fan Capacitor 4 mfd (microfarads) uf 450vac Terminal Connections CAP-4-450</p>	<p>G1111.CV522C</p>  <p>Appli Parts Fan Capacitor 5 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-5-250-2C / CON-5-250</p>
<p>G1111.CV5522C</p>  <p>Appli Parts Fan Capacitor 5.5 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-5.5-250-2C</p>	<p>G1111.CV622C</p>  <p>Appli Parts Fan Capacitor 6 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-6-250-2C / CON-6-250</p>	<p>G1111.WCC08</p>  <p>Appli Parts Fan Capacitor 6 mfd (microfarads) uf 250vac Terminal Connections CAP-6-250</p>	<p>G1111.WCC07</p>  <p>Appli Parts Fan Capacitor 6 mfd (microfarads) uf 450vac Terminal Connections CAP-6-450</p>	<p>G1111.CV722C</p>  <p>Appli Parts Fan Capacitor 7 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-7-250-2C / CON-7-250</p>
<p>G1111.CV822C</p>  <p>Appli Parts Fan Capacitor 8 mfd (microfarads) uf 250vac 2 Wire Terminal Connections CAP-8-250-2C / CON-8-250</p>	<p>G1111.WCC09</p>  <p>Appli Parts Fan Capacitor 8 mfd (microfarads) uf 450vac Terminal Connections CAP-8-250</p>	<p>G0319.10</p>  <p>Appli Parts Run Capacitor 10 Mfd (microfarads) 370 Volts Oval CON-10-370 Replaces CAP-10-370</p>	<p>G1111.CC04</p>  <p>Appli Parts Run Capacitor 10 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-10-450 Replaces CAP-10-450</p>	<p>G0318.10</p>  <p>Appli Parts Run Capacitor 10 Mfd uF (microfarads) 370 VAC Round CON-10-370-R Replaces CAP-10-370-R</p>
<p>G1111.CCP100</p>  <p>Appli Parts Run Capacitor 100 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-100-250-P</p>	<p>G1111.CC051</p>  <p>Appli Parts Run Capacitor 12 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-12-450 Replaces CAP-12-450</p>	<p>G0319.125</p>  <p>Appli Parts Run Capacitor 12.5 Mfd (microfarads) 370 Volts Oval CON-12.5-370 Replaces CAP-12.5-370</p>	<p>G1111.CC05</p>  <p>Appli Parts Run Capacitor 12.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round 3 in High 1-1/2 in Wide CON-12.5-450 Replaces CAP-12.5-450</p>	<p>G0318.125</p>  <p>Appli Parts Run Capacitor 12.5 Mfd uF (microfarads) 370 VAC Round CON-12.5-370-R Replaces CAP-12.5-370-R</p>
<p>G1111.CCP15</p>  <p>Appli Parts Run Capacitor 15 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-15-250-P</p>	<p>G0319.15</p>  <p>Appli Parts Run Capacitor 15 Mfd (microfarads) 370 Volts Oval CON-15-370 Replaces CAP-15-370</p>	<p>G1111.CC06</p>  <p>Appli Parts Run Capacitor 15 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-15-450 Replaces CAP-15-450</p>	<p>G0318.15</p>  <p>Appli Parts Run Capacitor 15 Mfd uF (microfarads) 370 VAC Round CON-15-370-R Replaces CAP-15-370-R</p>	<p>G1111.CCP16</p>  <p>Appli Parts Run Capacitor 16 Mfd (microfarads) 250 Volts Plastic Body W/Terminals 1-1/2 in. Wide 3-1/8 in. Height CON-16-250-P</p>
<p>G1111.CCP20</p>  <p>Appli Parts Run Capacitor 20 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-20-250-P</p>	<p>G0319.20</p>  <p>Appli Parts Run Capacitor 20 Mfd (microfarads) 370 Volts Oval 2-3/4 in Wide 1-3/4 in Depth 4-1/4 in Height CON-20-370 Replaces CAP-20-370</p>	<p>G1111.CC07</p>  <p>Appli Parts Run Capacitor 20 Mfd uF (microfarads) 370 VAC or 450 VAC Round 3-3/8 in High 1-3/4 in Wide CON-20-450 Replaces CAP-20-450</p>	<p>G0318.20</p>  <p>Appli Parts Run Capacitor 20 Mfd uF (microfarads) 370 VAC Round CON-20-370-R Replaces CAP-20-370-R</p>	<p>G1111.CCP25</p>  <p>Appli Parts Run Capacitor 25 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-25-250-P</p>


















Galpa Export Appli Parts Run Capacitors

<p>G0319.25</p>  <p>Appli Parts Run Capacitor 25 Mfd (microfarads) 370 Volts Oval 2-3/4 in. Wide 1-3/4 in. Depth 2-1/2 in. Height CON-25-370 Replaces CAP-25-370</p>	<p>G1111.CC08</p>  <p>Appli Parts Run Capacitor 25 Mfd uF (microfarads) 370 VAC or 450 VAC Round 3-3/4 High 1-7/8 in Wide CON-25-450 Replaces CAP-25-450</p>	<p>G0318.25</p>  <p>Appli Parts Run Capacitor 25 Mfd uF (microfarads) 370 VAC Round CON-25-370-R Replaces CAP-25-370-R</p>	<p>G1111.CCP30</p>  <p>Appli Parts Run Capacitor 30 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-30-250-P</p>	<p>G0319.30</p>  <p>Appli Parts Run Capacitor 30 Mfd (microfarads) 370 Volts Oval CON-30-370 Replaces CAP-30-370</p>
<p>G0318.30</p>  <p>Appli Parts Run Capacitor 30 Mfd 370 VAC Uf Round CON-30-370-R Replaces CAP-30-370-R</p>	<p>G1111.CC09</p>  <p>Appli Parts Run Capacitor 30 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-30-450 Replaces CAP-30-450</p>	<p>G1111.CCP35</p>  <p>Appli Parts Run Capacitor 35 Mfd (microfarads) 250 Volts Plastic Body W/Terminals 1-3/4 in. Wide 3-1/4 in. Height CON-35-250-P</p>	<p>G0319.35</p>  <p>Appli Parts Run Capacitor 35 Mfd (microfarads) 370 Volts Oval CON-35-370 Replaces CAP-35-370</p>	<p>G1111.CC12</p>  <p>Appli Parts Run Capacitor 35 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-35-450 Replaces CAP-35-450</p>
<p>G0318.35</p>  <p>Appli Parts Run Capacitor 35 Mfd uF (microfarads) 370 VAC Round CON-35-370-R Replaces CAP-35-370-R</p>	<p>G1111.CC014</p>  <p>Appli Parts Run Capacitor 4 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-4-450 Replaces CAP-4-450</p>	<p>G1111.CCP40</p>  <p>Appli Parts Run Capacitor 40 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-40-250-P</p>	<p>G0319.40</p>  <p>Appli Parts Run Capacitor 40 Mfd (microfarads) 370 Volts Oval 2-3/4 in Wide 1-3/4 in Depth 3-1/2 in Height CON-40-370 Replaces CAP-40-370</p>	<p>G1111.CC36</p>  <p>Appli Parts Run Capacitor 40 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-40-450 Replaces CAP-40-450-R</p>
<p>G0318.40</p>  <p>Appli Parts Run Capacitor 40 Mfd uF (microfarads) 370 VAC Round CON-40-370-R Replaces CAP-40-370-R</p>	<p>G1111.CCP45</p>  <p>Appli Parts Run Capacitor 45 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-45-250-P</p>	<p>G0319.45</p>  <p>Appli Parts Run Capacitor 45 Mfd (Microfarads) 370 Volts Oval CON-45-370 Replaces CAP-45-370</p>	<p>G1111.CC18</p>  <p>Appli Parts Run Capacitor 45 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-45-450 Replaces CAP-45-450</p>	<p>G0318.45</p>  <p>Appli Parts Run Capacitor 45 Mfd uF (microfarads) 370 VAC Round CON-45-370-R Replaces CAP-45-370-R</p>
<p>G0319.5</p>  <p>Appli Parts Run Capacitor 5 Mfd (microfarads) 370 Volts Oval CON-5-370 Replaces CAP-5-370</p>	<p>G1111.CC02</p>  <p>Appli Parts Run Capacitor 5 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-5-450 Replaces CAP-5-450</p>	<p>G0318.5</p>  <p>Appli Parts Run Capacitor 5 Mfd uF (microfarads) 370 VAC Round CON-5-370-R Replaces CAP-5-370-R</p>	<p>G1111.CCP50</p>  <p>Appli Parts Run Capacitor 50 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-50-250-P</p>	<p>G0319.50</p>  <p>Appli Parts Run Capacitor 50 Mfd (microfarads) 370 Volts Oval CON-50-370 Replaces CAP-50-370</p>
<p>G1111.CC24</p>  <p>Appli Parts Run Capacitor 50 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-50-450 Replaces CAP-50-450</p>	<p>G0318.50</p>  <p>Appli Parts Run Capacitor 50 Mfd uF (microfarads) 370 VAC Round CON-50-370-R Remplaza CAP-50-370-R</p>	<p>G1111.CCP55</p>  <p>Appli Parts Run Capacitor 55 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-55-250-P</p>	<p>G0319.55</p>  <p>Appli Parts Run Capacitor 55 Mfd (microfarads) 370 Volts Oval CON-55-370 Replaces CAP-55-370</p>	<p>G1111.CC55</p>  <p>Appli Parts Run Capacitor 55 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-55-450 Replaces CAP-55-450</p>



Galpa Export Appli Parts Run Capacitors

<p>G0318.55</p>  <p>Appli Parts Run Capacitor 55 Mfd uF (microfarads) 370 VAC Round CON-55-370-R Replaces CAP-55-370-R</p>	<p>G1111.CC016</p>  <p>Appli Parts Run Capacitor 6 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-6-450 Replaces CAP-6-450</p>	<p>G1111.CCP60</p> <p>Appli Parts Run Capacitor 60 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-60-250-P</p>	<p>G0319.60</p>  <p>Appli Parts Run Capacitor 60 Mfd (microfarads) 370 Volts Oval CON-60-370 Replaces CAP-60-370</p>	<p>G1111.CC600</p>  <p>Appli Parts Run Capacitor 60 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-60-450 Replaces CAP-60-450</p>
<p>G0318.60</p>  <p>Appli Parts Run Capacitor 60 Mfd uF (microfarads) 370 VAC Round CON-60-370-R Replaces CAP-60-370-R</p>	<p>G1111.CC65</p>  <p>Appli Parts Run Capacitor 65 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-65-450 Replaces CAP-65-450</p>	<p>G0319.75</p>  <p>Appli Parts Run Capacitor 7.5 Mfd (microfarads) 370 Volts Oval CON-7.5-370 Replaces CAP-7.5-370</p>	<p>G1111.CC03</p>  <p>Appli Parts Run Capacitor 7.5 Mfd uF (microfarads) 370 VAC or 450 VAC Round 2-5/8in Height 1-5/8in Wide CON-7.5-450 Replaces CAP-7.5-450</p>	<p>G0318.75</p>  <p>Appli Parts Run Capacitor 7.5 Mfd uF (microfarads) 370 VAC Round CON-7.5-370-R Replaces CAP-7.5-370-R</p>
<p>G1111.CCP70</p> <p>Appli Parts Run Capacitor 70 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-70-250-P</p>	<p>G0319.70</p>  <p>Appli Parts Run Capacitor 70 Mfd (microfarads) 370v Oval CON-70-370 Replaces CAP-70-370</p>	<p>G1111.CC60</p>  <p>Appli Parts Run Capacitor 70 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-70-450 Replaces CAP-70-450</p>	<p>G0318.70</p>  <p>Appli Parts Run Capacitor 70 Mfd uF (microfarads) 370 VAC Uf Round CON-70-370-R Replaces CAP-70-370-R</p>	<p>G1111.CCP75</p> <p>Appli Parts Run Capacitor 75 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-75-250-P</p>
<p>G0319.755</p>  <p>Appli Parts Run Capacitor 75 Mfd (microfarads) 370 Volts Oval 2-3/4 in Wide 1-3/4 in Depth 5-3/4 in Height CON-75-370 Replaces CAP-75-370</p>	<p>G1111.CC755</p>  <p>Appli Parts Run Capacitor 75 Mfd uF (microfarads) 370 VAC or 450 VAC Round CON-75-450 Replaces CAP-75-450</p>	<p>G0318.755</p>  <p>Appli Parts Run Capacitor 75 Mfd uF (microfarads) 370 VAC Round 2-1/4 in. Wide 4-3/4 in. Height CON-75-370-R Replaces CAP-75-370-R</p>	<p>G1111.CCP80</p> <p>Appli Parts Run Capacitor 80 Mfd (microfarads) 250 Volts Plastic Body W/Terminals CON-80-250-P</p>	<p>G0319.80</p>  <p>Appli Parts Run Capacitor 80 Mfd (microfarads) 370 Volts Oval CON-80-370 Replaces CAP-80-370</p>
<p>G1111.CC80</p>  <p>Appli Parts Run Capacitor 80 Mfd uF (microfarads) 370 VAC or 450 VAC Round 2-1/4 in Wide 5-3/8 in Height CON-80-450 Replaces CAP-80-450</p>	<p>G0318.80</p>  <p>Appli Parts Run Capacitor 80 Mfd uF (microfarads) 370 VAC Round CON-80-370-R Replaces CAP-80-370-R</p>	<p>G1111.CV22C2C</p> <p>Capacitor 2 Mfd 250vac Rectangular 2 Cables Appli Parts</p>	<p>G1111.CV922C</p>  <p>Fan Capacitor 9 Mfd 250vac 2 Wires Appli Parts</p>	<p>G1111.CC35</p> <p>Run Capacitor 35 Mfd</p>
<p>G1111.6575</p> <p>Run Capacitor 65+7.5 Mfd 370-450vac Round</p>	<p>G1111.7075</p> <p>Run Capacitor 70+7.5 Mfd 370-450vac Round</p>			