









































Galpa Export Danfoss Ammonia Products

| | | | | |
|---|--|---|---|---|
| <p>G027H5041</p>  <p>Danfoss 2-Step Solenoid Valve Iclx 32-80 027h5041</p> | <p>G148F3009</p>  <p>Danfoss 3-Way Valve Dsv2 1" X 1-1/4"</p> | <p>G148F3006</p>  <p>Danfoss 3-Way Valve Dsv2 3/4" X 3/4"</p> | <p>G027X0182</p>  <p>Danfoss Check Valve Nrv 15 1/2" 027x0182</p> | <p>G020-2000</p>  <p>Danfoss Check Valve Nrv 15 1/2" 020-2000</p> |
| <p>G060B017966</p>  <p>Danfoss Differential Pressure Control For Ammonia Mp55a, Conn 3/8"</p> | <p>G027H7124</p>  <p>Danfoss Ics 100 Inspection Kit 027h7124</p> | <p>G027H7192</p>  <p>Danfoss Ics 100 Repair Kit 027h7192</p> | <p>G027H5020</p>  <p>Danfoss Ics1 50 Pilot Operated Servo Valve</p> | <p>G027H6020</p>  <p>Danfoss Ics1 65 Pilot Operated Servo Valve</p> |
| <p>G2412-185</p>  <p>Danfoss Overflow Valve Ofv 20 3/4" 2412+185</p> | <p>G148H3273</p>  <p>Danfoss Qdv 15 Shut-Off Valve 148h3273</p> | <p>G148F3217</p>  <p>Danfoss Safety Relief Valve Sfa-15, 1/2", 247 Psi</p> | <p>G2416-260</p>  <p>Danfoss Safety Relief Valve Sfv-20, 3/4", 247 Psi, 2416+260</p> | <p>G2416-265</p>  <p>Danfoss Safety Relief Valve Sfv-25, 1", 145 Psi, 2416+265</p> |
| <p>G2416-155</p>  <p>Danfoss Safety Relief Valve Sfv-25, 1", 305 Psi, 2416+155</p> | <p>G148F8000</p>  <p>Danfoss Safety Relief Valve Sfv-803, 1/2"Fpt X 3/4" Fpt, 150 Psi 148f8000</p> | <p>G148B5730</p>  <p>Danfoss Shut-off Valve Sva-S 50 Globe, Inlet / Outlet 2 in. Butt weld with Handwheel 148B5730</p> | <p>G027L1269</p>  <p>Danfoss Sight Glass 3/8 Icf 027l1269</p> | <p>G148B5644</p>  <p>Danfoss Strainer Body, FIA 40 Globe, 1-1/2 in BW, Without Strainer Insert-Element 148B5644</p> |
| <p>G027H5172</p>  <p>Danfoss Top Cover Valve Ics Work With Icv 50</p> | <p>G027H6172</p>  <p>Danfoss Top Cover Valve Ics Work With Icv 65</p> | <p>G027H5121</p>  <p>Danfoss Valve Body Icv 50 2" Work With Iclx 50, Icm 50, Ics 50</p> | <p>G027H6121</p>  <p>Danfoss Valve Body Icv 65 2-1/2" Work With Iclx 65, Icm 65, Ics 65</p> | <p>G027L3134</p>  <p>Danfoss Valve Icf 20-4-18 1" Socket Weld</p> |
| <p>G027L3354</p>  <p>Danfoss Valve Icf 20-4-18h 1" Socket Weld 027l3354</p> | <p>G027L3071</p>  <p>Danfoss Valve Icf 20-4-9 1" Socket Weld</p> | <p>G027L3336</p>  <p>Danfoss Valve Icf 20-4-9h 1" Socket Weld 027l3336</p> | <p>G027L3416</p>  <p>Danfoss Valve Icf 20-6-3hrb 1" Socket Weld 027l3416</p> | <p>G027L3025</p>  <p>Danfoss Valve Icf 20-6-3ra 1" Socket Weld</p> |



Galpa Export Danfoss Ammonia Products

| | | | | |
|---|---|--|---|--|
| <p>G027L4013</p>  <p>Danfoss Valve Icf32-6-1b 1 1/4" Socket Weld</p> | <p>G148B5412</p> <p>Danfoss Valve Reg-Sa 25 1" 148b5412</p> | <p>G148B5281</p> <p>Danfoss Valve REG-SB 15 to 20 (1/2in to 3/4in) , Bonnet/top complete incl. seal cap, cone B</p> | <p>G148B5703</p>  <p>Danfoss Valve Sca-X 50, Stop Check, 2"</p> | <p>G148B3778</p> <p>Danfoss Valve Snv-St 1/2g-1/2g 148b3778</p> |
| <p>G148B4180</p> <p>Danfoss Valve Snv-St 1/4npt-1/4npt Stop Needle Valve, Hcfc, Non Flammable Hfc, R717 (Ammonia) And R744 (Co2)</p> | <p>G148B3746</p>  <p>Danfoss Valve Snv-St 1/4npt-1/4npt Stop Needle Valve, Hcfc, Non Flammable Hfc, R717 (Ammonia) And R744 (Co2)</p> | <p>G148B5230</p>  <p>Danfoss Valve Sva-S 15 1/2"</p> | <p>G148B5231</p> <p>Danfoss Valve Sva-S 15 1/2"</p> | <p>G148B5276</p> <p>Danfoss Valve Sva-S 15-20 Top Complete Cap</p> |
| <p>G148B5330</p> <p>Danfoss Valve Sva-S 20, Butt Weld, Shut-Off, 3/4in Direction: Straightway SVL Flexiline 148B5330</p> | <p>G148B5333</p>  <p>Danfoss Valve Sva-S 20, Socket-Weld, Shut-Off, 3/4"</p> | <p>G148B5435</p> <p>Danfoss Valve Sva-S 25, Shut-off valve 1 in FPT w/ Seal Cap</p> | <p>G148B5476</p> <p>Danfoss Valve Sva-S 25-40 Top Complete Cap</p> | <p>G148B5620</p> <p>Danfoss Valve Sva-S 40, Butt Weld, Shut-Off, 1-1/2" SVL Flexiline Direction Angleway with Handwheel Flow Direction Bi-flow 148B5620</p> |
| <p>G148B5632</p>  <p>Danfoss Valve Sva-S 40, Socket-Weld, Shut-Off, 1-1/2" 148b5732 / 148b5632 / 148b5672</p> | <p>G148B5728</p> <p>Danfoss Valve Sva-S 50 Top Complete Cap</p> | <p>G148B5831</p> <p>Danfoss Valve Sva-S 65 2-1/2"</p> | <p>G148B5822</p> <p>Danfoss Valve Sva-S 65 Top Complete Cap</p> | <p>G148B5916</p> <p>Danfoss Valve Sva-S 80 Top Complete Cap</p> |
| <p>G148B5378</p> <p>Danfoss Valve Sva-S Ss 20, Shut-Off, 3/4"</p> | <p>G148B5487</p> <p>Danfoss Valve Sva-S Ss 25, Shut-Off, 1"</p> | <p>G148B3371</p> <p>Danfoss Valve Sva-St 15 1/2" 148b5262 / 148b3371</p> | <p>G148B3251</p> <p>Danfoss Valve Sva-St 200</p> | <p>G148D3251</p> <p>Danfoss Valve Sva-St 200</p> |
| <p>GAKS38</p>  <p>Float Switch Danfoss Aks 38</p> | <p>G148H3194</p> <p>Float Switch Danfoss Aks 38, 25mm</p> | <p>GAKS38RKIT</p>  <p>Repair Kit Float Switch Danfoss Aks 38</p> | <p>G006-1012</p> <p>Strainer 006-1012 Fa15</p> | <p>G148B5249</p> <p>Strainer Body - FIA 15 Globe, 1/2in FPT, without strainer insert/element 148B5249</p> |



Galpa Export Danfoss Ammonia Products

| G148H3124 | G148H3129 | G148B5670 | G148H3463 |
|---|---|---|--|
| Strainer insert for FIA 15 or 20 (1/2" or 3/4"), 150µ/100 mesh 148H3124 | Strainer Insert For Fia 25, 32 Or 40 (1", 1-1/4" Or 1-1/2"), 500µ/38 Mesh 148h3129 | Sva-L 15-40, Butt-Weld Ansi (B 36.10 Schedule 80), Straightway 148b5670 | Thermostat Danfoss 148h3463 used for Orv 25-40 |